

A latex template for EMBO Journal, EMBO Reports, and Molecular Systems Biology

John Smith¹, Joann Smith², Peter Parker², Lois Lane^{3,*}

October 10, 2014

1. Address and Affiliation.
2. Address and Affiliation.
3. Address and Affiliation.

* Corresponding Author: Lois Lane, contact information.

Subject categories: Cell Cycle, Bioinformatics, Proteins

Keywords: template, sample, latex

Running Title: EMBO/MSB latex template

character count (including spaces): ?

Abstract

This should be a single paragraph not exceeding 175 words. The Abstract should be comprehensible to readers before they have read the paper, and abbreviations should be avoided. Reference citations within the abstract are not permitted.

Introduction

The Introduction should be succinct and provide only the necessary background information, rather than a comprehensive review of the specific field. It should not contain subheadings.

Results

In articles, each section should be divided by subheadings and may be combined into one section if appropriate. Citations should be formatted in the Author-Year style using the natbib latex package. A bibtex style file is supplied with this template, and should be used. Here are some sample citations (Bailey and Eichler, 2006; Elgar and Vavouri, 2008; Gill, 1991; Gregory and Mable, 2005; Hufton *et al*, 2009; Kikuta *et al*, 2007; Mishra *et al*, 2006; Ohno, 1970; Strähle and Rastegar, 2008; Tate *et al*, 2005; Woolfe *et al*, 2007; Gregory, 2005; Baba *et al*, 2006; Lemberger, 2010; Sneppen *et al*, 2008).

Discussion

Results and Discussion sections should be combined in the Report format.

Materials and methods

This section should contain sufficient detail so that all experimental procedures can be repeated by others, in conjunction with cited references. Authors should also provide clear and complete descriptions of the metrics applied for quality assessment and validation of their datasets and the computational tools used for data analysis. Molecular Systems Biology encourages detailed descriptions of methodology or additional materials to be included as Supplementary information. This information should, however, not be of immediate importance for the understanding of the manuscript.

Acknowledgements

Personal acknowledgements should precede those of institutions or agencies.

Author Contributions

Please briefly describe each author's role in this work.

Figure Legends

Please supply your Figure images and Tables separately through the journal's article submission system, but please include the figure legends here, in the main text file.

Figure 1 Figure Title. Description.

Figure 2 Figure Title. Description.

References

Baba T, Ara T, Hasegawa M, Takai Y, Okumura Y, Baba M, Datsenko KA, Tomita M, Wanner BL, Mori H (2006) Construction of Escherichia coli K-12 in-frame, single-gene knockout mutants: the Keio collection. *Mol Syst Biol* **2**: 2006.0008

- Bailey JA, Eichler EE (2006) Primate segmental duplications: crucibles of evolution, diversity and disease. *Nat Rev Genet* **7**: 552–64
- Elgar G, Vavouri T (2008) Tuning in to the signals: noncoding sequence conservation in vertebrate genomes. *Trends Genet* **24**: 344–352
- Gill BS (1991) Nucleo-cytoplasmic interaction (NCI) hypothesis of genome evolution and speciation in polyploid plants. In *Proc Dr. H. Kihara Memorial Intern Cytoplasmic Engin in Wheat*, Smith B (ed)
- Gregory TR, editor (2005) *The Evolution of the Genome*. Boston, MA: Elsevier Academic
- Gregory TR, Mable BK (2005) Polyploidy in Animals. In *The Evolution of the Genome*, Gregory TR (ed), pp. 427–517. Boston, MA: Elsevier Academic
- Hufton AL, Mathia S, Braun H, Georgi U, Lehrach H, Vingron M, Poustka AJ, Panopoulou G (2009) Deeply conserved chordate noncoding sequences preserve genome synteny but do not drive gene duplicate retention. *Genome Res* advance online publication Sept 2009; doi: 10.1101/gr.093237.109
- Kikuta H, Laplante M, Navratilova P, Komisarczuk AZ, Engström PG, Fredman D, Akalin A, Caccamo M, Sealy I, Howe K, Ghislain J, Pezeron G, Mourrain P, Ellingsen S, Oates AC, Thisse C, Thisse B, Foucher I, Adolf B, Geling A, *et al* (2007) Genomic regulatory blocks encompass multiple neighboring genes and maintain conserved synteny in vertebrates. *Genome Res* **17**: 545–555
- Lemberger T (2010) From bench to website. *Mol Syst Biol* **6**: 410
- Mishra GR, Suresh M, Kumaran K, Kannabiran N, Suresh S, Bala P, Shivakumar K, Anuradha N, Reddy R, Raghavan TM, Menon S, Hanumanthu G, Gupta M, Upendran S, Gupta S, Mahesh M, Jacob B, Mathew P, Chatterjee P, Arun KS, *et al* (2006) Human protein reference database–2006 update. *Nucleic Acids Res* **34**: D411–D414
- Ohno S (1970) *Evolution by Gene Duplication*. Berlin, New York, USA: Springer-Verlag
- Sneppen K, Micheelsen MA, Dodd IB (2008) Ultrasensitive gene regulation by positive feedback loops in nucleosome modification. *Mol Syst Biol* **4**: 182
- Strähle U, Rastegar S (2008) Conserved non-coding sequences and transcriptional regulation. *Brain Res Bull* **75**: 225–230
- Tate JA, Soltis DE, Soltis PS (2005) Polyploidy in Plants. In *The Evolution of the Genome*, Gregory TR (ed), pp. 371–426. Boston, MA: Elsevier Academic
- Woolfe A, Goode DK, Cooke J, Callaway H, Smith S, Snell P, McEwen GK, Elgar G (2007) CONDOR: a database resource of developmentally associated conserved non-coding elements. *BMC Dev Biol* **7**: 100